

IYASOCARE®



CHONGQING IYASOCARE MEDICAL CO.,LTD. was established in 2006 and is headquartered in the beautiful city of Chongqing, China. The company's main products include wheelchairs, hospital beds, electric scooters, walkers, toilet chairs, etc. The company is committed to providing customers with reasonable, complete, reliable and high-quality medical procurement solutions; the company has independent facilities in Guangzhou, Chongqing, Hebei and other cities. Production R&D center, of which the main production factory is built in Hebei, covering an area of nearly 18 acres.

In 2019, the company established a world-class wheelchair production and R&D team. The R&D personnel are senior engineers with decades of R&D experience. The advanced design concept, unique production process, research and development and production of a batch of new wheelchair products conforming to the ergonomic concept have enhanced the company's core competitiveness.



CHONGQING IYASOCARE MEDICAL CO.,LTD.

Tel: 0086-023-65277561

Mobile: 0086-13618350425

E-mail: iyaso@iyasocare.com

Add: Free Trade Tower, Xiyong street. Chongqing, China

<https://www.iyasocare.com>

<https://iyasocare.en.alibaba.com>



(The following pictures and parameters are for reference only)

>>> YSS3002



FEATURES:

1. Easy folding to portable
2. Circular handle, easy to operate, quickly to start, no driving experience, can operate with one hand

PARAMETERS:

Turning Radius:120cm
 Ride Height:9cm
 Driving Range:20KM
 Max Speed:6KM/h
 Motor:250W
 Battery:24V 12Ah(lead acid)
 Parking Brake:Electromagnetic Brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	Package
105*50*90cm	40/45KG	120KG	8 inches	8 inches	156*72*110cm

>>> YSS3003



FEATURES:

1. Easy folding to portable
2. Circular handle, easy to operate, quickly to start, no driving experience, can operate with one hand

PARAMETERS:

Turning Radius:125cm
 Ride Height:9.2cm
 Driving Range:35KM
 Max Speed:7.8KM/h
 Motor:24V 250W
 Battery:24V 20Ah(lead acid)
 Parking Brake:Electromagnetic Brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	Package
113*54*88m	56/68KG	120KG	9 inches	8 inches	117*58*50cm

>>> YSS3004



FEATURES:

1. Easy folding to portable
2. Easy to operate, quickly to start, no driving experience, can operate with one hand

PARAMETERS:

Driving Range:15-30KM
 Max Speed:20KM/h
 Motor:350W
 Battery:48V 12A(Lithium battery)
 Parking Brake:Electromagnetic Brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	Package
100*52*78cm	25/30KG	120KG	9 inches	8 inches	88*52*78cm

>>> YSS3005



FEATURES:

1. Easy folding to portable
2. Easy to operate, quickly to start, no driving experience, can operate with one hand

PARAMETERS:

Driving Range:25-40Km
 Max Speed:18Km/h
 Motor:36V 250W
 Battery:36V 10.4Ah(lead acid)
 Parking Brake:Disc brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	Package
95*55*78cm	25/30KG	120KG	9 inches	8 inches	80*60*40cm

>>> YSS3020



FEATURES:

1. Easy folding to portable
2. Easy to operate, quickly to start, no driving experience, can operate with one hand

PARAMETERS:

Charge time: 8-12H
 Driving Range: 15-25KM
 Max Speed: 20KM/h
 Climbing ability: 15°
 Motor: 300W
 Battery: 48V 12A(lead acid))
 Parking Brake: Electromagnetic Brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 Package
95*53*90cm	28/35KG	100KG	9 inches	8 inches	88*52*78cm

>>> YSS3027



FEATURES:

1. Outstanding Portability and Storage Efficiency
2. Balanced and Practical Performance
3. Sturdy Frame and Impressive Load Capacity

PARAMETERS:

Folding method: manual
 Charge time: 5-8H
 Driving Range: 10-18KM
 Max Speed: 7 KM/h
 Climbing ability: 9°
 Motor: 24V 180W
 Battery: 24V 10/15.6 AH Lithium battery
 Parking Brake: electromagnetic brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 Package
97*50*96m	22/25KG	120KG	8 inches	7 inches	52*44*73cm

>>> YSS3026






FEATURES:

1. Outstanding Portability
2. Essential and Practical Performance
3. Sturdy and Durable Frame Construction
4. Defined Application Scenarios

PARAMETERS:

Folding method: manual
 Charge time: 5-8H
 Driving Range: 10-30KM
 Max Speed: 8 KM/h
 Climbing ability: 9°
 Motor: 24V 180W Brushless
 Battery: 24V 6/12/18 AH Lithium battery
 Parking Brake: electromagnetic brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 Package
103*53*93cm	20/24KG	120KG	8 inches	8 inches	108*57.6*43cm

>>> YSS3028



FEATURES:

1. Core Advantage: Ultimate Convenience with Electric Folding
2. Key Features: Exceptional Portability and Storage
3. Practical Performance: Meets Daily Short-Distance Needs

PARAMETERS:

Folding method: electric
 Charge time: 5-8H
 Driving Range: 12-18KM
 Max Speed: 7 KM/h
 Climbing ability: 9°
 Motor: 24V 180W
 Battery: 24V 10/15.6 AH Lithium battery
 Parking Brake: electromagnetic brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 Package
97*50*96cm	23/26KG	120KG	8 inches	7 inches	52*44*73cm

>>> YSS3008



FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Front hydraulic shock absorption, rear spring shock absorption.

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 800W 1000W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
159*69*108cm	110/ 130kg	140KG	10 inches	10 inches	103cm	Red /black /white	88*52*78cm

>>> YSS3010



FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Front hydraulic shock absorption, rear spring shock absorption.

PARAMETERS:

Charge time: 6-10H Driving Range: 50-60KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 48V 500W
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
165*70*102cm	104/ 124KG	140KG	10 inches	10 inches	124cm	Red /black /white	165*72*108cm

>>> YSS3011








FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 10km/h; III: 20km/h
4. Front hydraulic shock absorption, rear spring shock absorption.

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 20 KM/h Climbing ability: 15°
 Motor: 600W (optional 800W 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
157*70*110cm	105/125KG	120KG	10 inches	10 inches	132cm	Red /black /white/blue	145*74*73cm

>>> YSS3017










FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Front hydraulic shock absorption, rear spring shock absorption.

PARAMETERS:

Charge time: 8-12H Driving Range: 40-55KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 48V 500W (optional 600W 800W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
175*70*110cm	95/115KG	120KG	10 inches	10 inches	124cm	Red /black /white/blue	175*74*104cm

>>> YSS3019



FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Front hydraulic shock absorption, rear spring shock absorption.
5. Front disc brake/ Rear drum brake

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 48V 500W (optional 1000W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: F disc brake/ R drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
160*69*101cm	118/136KG	120KG	10 inches	10 inches	110cm	Red/black/white/blue	147*72*115cm

>>> YSS3021



FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Front hydraulic shock absorption, rear spring shock absorption.
5. Roof design, shelter from wind and rain
6. F/R drum brake

PARAMETERS:

Charge time: 8-12H Driving Range: 40-55KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 48V 500W (optional 600W 800W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
160*70*160cm	110/130KG	140KG	10 inches	10 inches	102cm	Red/black/white/blue	165*75*112cm

>>> YSS3022







FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Roof design, shelter from wind and rain
5. Double pring damping
6. F/R drum brake

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 60V 600W (optional 800W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
183*74*168cm	105/125KG	120KG	10 inches	10 inches	117cm	Red/black/white/blue/brown/pink	182*75*130cm

>>> YSS3023










FEATURES:

1. Aluminum wheels, ABS plastic fashion case.
2. Optional upgrade configuration long endurance, convenient travel.
3. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
4. Front hydraulic shock absorption, rear spring shock absorption.
5. F/R drum brake

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 60V 600W (optional 800W 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
182*99*110cm	121/141KG	120KG	14 inches	14 inches	129cm	Red/black/white/blue	180*100*110cm

>>> YSS3006



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double spring shock absorption.
6. LCD dashboard

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 600W 800W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
157*70*110cm	128/148KG	130KG	10 inches	10 inches	124cm	Red /black /white/blue	157*74*110cm

>>> YSS3007



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double spring shock absorption.
6. LCD dashboard
7. Large storage basket, convenient travel shopping

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 600W 800W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
155*70*110cm	134/145KG	130KG	10 inches	10 inches	103cm	Red /black /white/blue	165*73*106cm

>>> YSS3008F



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double spring shock absorption.
6. LCD dashboard

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 800W 1000W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
165*69*108cm	127/ 147KG	150KG	10 inches	10 inches	102cm	Red /black /white	165*72*110cm

>>> YSS3008FL



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double spring shock absorption.
6. LCD dashboard
7. Large storage basket, convenient travel shopping

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 800W 1000W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
165*69*108cm	127/ 147KG	150KG	10 inches	10 inches	102cm	Red /black /white	165*72*110cm

>>> YSS3008G



FEATURES:

1. Simple operation driving,
2. Steel wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double spring shock absorption.
6. LCD dashboard
7. Off-road tires, suitable for a variety of road surfaces, golf kit

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 800W 1000W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
65*69*108cm	127/147KG	150KG	16 inches	16 inches	102cm	Red /black /white	165*72*110cm

>>> YSS3009



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 20km/h
5. Front steel plate damping, rear spring damping.
6. LCD dashboard.
7. Large storage basket, convenient travel shopping.

PARAMETERS:

Charge time: 6-10H Driving Range: 50-60KM
 Max Speed: 25 KM/h Climbing ability: 20°
 Motor: 600W RWD differential brushless Motor (optional 800W 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: Front and rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
154*69*130cm	122/142KG	150KG	10 inches	10 inches	89cm	Red /black /white	144*74*83cm

>>> YSS3009D




FEATURES:

1. Simple operation driving,
2. Steel wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 10km/h; III: 20km/h
5. Strong power and fat tyre to go off road
6. Double seat.
7. Front steel plate damping, rear spring damping.
8. LCD dashboard.

PARAMETERS:

Charge time: 6-10H Driving Range: 40-50KM
 Max Speed: 20 KM/h Climbing ability: 20°
 Motor: 800W RWD differential brushless Motor (optional 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
154*80*139cm	154/162KG	180KG	16 inches	16 inches	135cm	Red /black /white	145*82*87cm

>>> YSS3009L










FEATURES:

1. Simple operation driving,
2. Steel wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 10km/h; III: 20km/h
5. Strong power and fat tyre to go off road
6. Front steel plate damping, rear spring damping.
7. LCD dashboard.

PARAMETERS:

Charge time: 6-10H Driving Range: 40-50KM
 Max Speed: 20 KM/h Climbing ability: 20°
 Motor: 800W RWD differential brushless Motor (optional 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

 Product	 N/W	 Load	 Rear wheel	 Front wheel	 F/R wheelbase	COLOR Color	 Package
151*80*139cm	143/163KG	180KG	16 inches	16 inches	89cm	Red /black /white	145*82*87cm

>>> YSS3010F



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double pring damping
6. LCD dashboard

PARAMETERS:

Charge time: 6-10H Driving Range: 50-60KM
 Max Speed: 25 KM/h Climbing ability: 20°
 Motor: 48V 500W
 Battery: 48V 20AH(lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
157*70*110cm	128/148KG	140KG	10 inches	10 inches	124cm	Red /black /white	157*74*110cm

>>> YSS3011F



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 10km/h; III: 20km/h
5. Double pring damping
6. LCD dashboard

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 20 KM/h Climbing ability: 15°
 Motor: 600W (optional 800W 1000W)
 Battery: 60V 20AH(lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
192*71*114cm	118/138KG	120KG	10 inches	10 inches	132cm	Red/black/white/blue	194*73*116MM

>>> YSS3012



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double pring damping
6. LCD dashboard

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 600W 800W)
 Battery: 48V 20AH(lead acid)
 Parking Brake: Front/rear drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
145*65*110cm	110/130KG	110KG	10 inches	10 inches	86cm	Red/black/white/blue	144*74*83cm

>>> YSS3013



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Double pring damping
6. LCD dashboard

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 500W (optional 600W 800W)
 Battery: 48V 20AH(lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
145*65*110cm	110/130KG	110KG	10 inches	10 inches	86cm	Red/black/white/blue	147*72*115cm

>>> YSS3014



FEATURES:

1. Simple operation driving,
2. Steel wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Electromagnetic brake
6. LCD dashboard
7. Roof design, shelter from wind and rain
8. Front steel plate damping, rear spring damping

PARAMETERS:

Charge time: 8-12H Driving Range: 40-50KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 800W (optional 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: Electromagnetic brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
162*80*163cm	178/200KG	180KG	16 inches	16 inches	97cm	Red/black/white/blue	163*80*125cm

>>> YSS3015



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Electromagnetic brake
6. LCD dashboard
7. Roof design, shelter from wind and rain
8. Double pring damping

PARAMETERS:

Charge time: 8-12H Driving Range: 30-40KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 800W (optional 1000W)
 Battery: 60V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
220*83*174cm	192/220KG	180KG	10 inches	10 inches	165cm	Red/black/white/blue	221*84*125cm

>>> YSS3016



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. F/R drum brake
6. LCD dashboard
7. Double pring damping

PARAMETERS:

Charge time: 8-12H Driving Range: 50-60KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 48V 500W (optional 600W 800W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
157*72*111cm	116/136KG	120KG	10 inches	10 inches	107m	Red/black/white/blue	165*75*112cm

>>> YSS3018



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. F/R drum brake
6. LCD dashboard
7. Double pring damping

PARAMETERS:

Charge time: 8-12H Driving Range: 50-60KM
 Max Speed: 25 KM/h Climbing ability: 15°
 Motor: 48V 500W (optional 600W 800W)
 Battery: 48V 20AH (lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	COLOR	Package
175*72*102cm	116/136KG	120KG	10 inches	10 inches	123cm	Red/black/white/blue	175*74*104cm

>>> YSS3019F



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. Front disc brake/ Rear drum brake
6. LCD dashboard
7. Double pring damping

PARAMETERS:

Charge time: 8-12H Driving Range:40-50KM
 Max Speed:25 KM/h Climbing ability: 15°
 Motor: 48V 500W(optional 800W 1000W)
 Battery:48V 20AH(lead acid)
 Parking Brake: F disc brake/ R drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
175*70*103cm	128/150KG	160KG	10 inches	10 inches	139cm	Red/black/white/blue	178*73*107cm

>>> YSS3022F



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. F/R drum brake
6. LCD dashboard
7. Roof design, shelter from wind and rain
8. Double pring damping

PARAMETERS:

Charge time: 8-12H Driving Range:40-50KM
 Max Speed:25 KM/h Climbing ability: 15°
 Motor: 60V 600W(optional 800W)
 Battery:60V 20AH(lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
183*74*168cm	125/145KG	140KG	10 inches	10 inches	117cm	Red/black/white/blue/brown/pink	182*75*130cm

>>> YSS3021F



FEATURES:

1. Simple operation driving,
2. Aluminum wheels, ABS plastic fashion case.
3. Optional upgrade configuration long endurance, convenient travel.
4. Three speed change: I: 6km/h; II: 15km/h; III: 25km/h
5. F/R drum brake
6. LCD dashboard
7. Roof design, shelter from wind and rain
8. Double pring damping

PARAMETERS:

Charge time: 8-12H Driving Range:40-55KM
 Max Speed:25 KM/h Climbing ability: 15°
 Motor: 48V 500W(optional 600W 800W)
 Battery:48V 20AH(lead acid)
 Parking Brake: F/R drum brake

MAIN PARAMETERS(CM)

						COLOR	
Product	N/W	Load	Rear wheel	Front wheel	F/R wheelbase	Color	Package
160*72*160cm	125/135KG	120KG	10 inches	10 inches	104cm	Red/black/white/blue	165*75*120cm